

# Page

## Page Context Menu

Icon	Command	Description
	Edit Page	Edit the selected object
	Clone Page	Clone the selected object
	Delete object(s)	Delete the selected object(s) with children
	Remove container	Remove the selected container, keep children objects
	Create Transaction	Create a Transaction starting from the selected request
	Create Loop	Create a Loop starting from the selected request or transaction
	Create If...Then	Create If...Then starting from the selected object
	Create Do...While	Create Do...While starting from the selected object
	Insert Delay	Insert a Delay after the selected object
	Insert Rendezvous	Insert a Rendezvous after the selected object
	Insert Skip-To-Next-Iteration	Insert a Skip to Next Iteration after the selected object
	Move Up	Move the selected object one position up
	Move Down	Move the selected object one position down
	Show Properties	Show Property Grid on the bottom
	Hide Properties	Hide Property Grid on the bottom

## Page Properties

Host	The host
Path	The path
Query	The query string
Title	The page title
URLs	The number of requests in this container
Request Size (KB)	The size of all requests in this container
Response Size (KB)	The size of all responses in this container
Duration (s)	The time that elapsed between the first request and the latest response in this container
Goal (s)	The page expected maximum time for all its responses to come back. Iterations where the page response times exceeded the goal are marked as "missed goal". To remove the goal, leave it blank.
Think Time (s)	The think time is a delay added at the end of the page to simulate the user's wait time before requesting the subsequent page

When to Request the Page	Select "On 1-st iteration" to skip this page or transaction (e.g. login) on the subsequent iterations. Select "On last iteration" to request this page or transaction (e.g. logout) on the last iteration only, if the test is set to run a specified number of iterations.
--------------------------	---